

Following are some of the first line medicines for Common Cold but it is advised that a qualified homoeopathic doctor should be consulted.

Symptoms	Medicine
 Sudden attack after exposure to dry, cold wind Sneezing and running nose Anxiety with restlessness Increased thirst 	Aconitum napellus 30
 Sudden onset of violent attack of cold Fever with pulsating headache Sore throat and running nose 	Belladonna 30
Cold attack in winter Thin, watery and irritating discharge from nose Stuffed nose Frequent sneezing Frequent thirst for small quantity of water Feels better after warm drinks	Arsenic album 30

Follow the instructions overleaf.




General Instructions while taking Homoeopathic Treatment:

- Medicines as indicated in this handout should be taken if the symptoms mentioned against each medicine match those of the patient.
- Medicine to be taken 3 globules of size 40 every 3 hours dry on the tongue or in plain drinking water.
- Medicine should be taken after cleaning the mouth and preferably on an empty stomach.
- If improvement occurs within 24 hours then medicine should be stopped.
- If the patient does not improve within 24 hours or becomes worse at any time, then consult the nearest homoeopathic doctor.
- Medicines must be kept away from strong smelling substances like camphor, menthol etc.
- Medicines should be kept in a cool, dry place away from direct exposure to sunlight.
- Medicines should be kept away from the reach of children.



Central Council for Research in Homoeopathy (An Autonomous Organization of the Department of AYUSH,

Ministry of Health and Family Welfare)
61-65, Institutional area (opp. 'D' Block) Janak Puri, Delhi- 110058
Tel: 91-11-28525523 Fax: 91-11-28521060
Email: ccrh@del3.vsnl.net.in Website: www.ccrhindia.org



National Campaign on Homoeopathy for Mother and Child Care

Homoeopathy

for Common Cold in Children





Department of Ayurveda, Yoga & Naturopathy, Unani, Siddha and Homoeopathy (AYUSH) Ministry of Health and Family Welfare Government of India



Central Council for Research in Homoeopathy (An Autonomous Organization of the Department of AYUSH, Ministry of Health and Family Welfare)

Common Cold in Children...

COMMON COLD

Common Cold is a frequently occurring problem affecting the nose and throat, caused by virus or allergy. On an average one attack of common cold may last from 3 to 10 days.



Spread of infection:

- Virus exists in infected person's nasal discharge or sputum.
- Handkerchief, pencils, telephone receiver, hand shaking etc., may also spread the virus from the infected person to others.
- Virus enters body through nose either directly or by rubbing eyes.






Factors which predispose and cause allergy:

- Exposure to cold weather
- Sudden change of temperature
- Eating cold food/cold drinks
- Pollens, perfume, animal dander etc.

Contact with infected person may also cause an attack of cold.







Signs and Symptoms:

- Running nose
- Sneezing
- Tickling sensation in nose
- Stuffed nose
- Soreness in throat
- Chills
- Bodyache
- Mild fever may be present



Do's and Don'ts:

- Steam inhalation
- Encourage the child to blow nose by tickling tip of the nostril.
- Protect the child from sudden exposure to cold.
- Keep child warm during winter months.
- Give child adequate rest, fluid and good nutrition.
- Consult a qualified Homoeopath for treatment and to prevent any new infection.



